

شركة الشرق للمقاولات العامة
محمد كبد الله جريش
مر ٢٥٠٧ / ٢٠٨ / ٢٢٥



مذكرة ايضاحيه

للعرض على السيد المهندس / رئيس قطاع التنفيذ والمناطق

الموضوع

موضوع مشروع اعمال انشاء الجسر الترابي والاعمال الصناعيه للقطار السريع (أكتوبر - أبو سمبل) القطاع الثاني (بني مزار / مملوطة) في المسافة من " الكم ٣٢٠+٨٥٠ الى الكم ٣٢٢+٣٥٠ " بطول ١.٥ كم بالامر المباشر.

- الشركه المنفذة : مكتب الشروق للمقاولات العموميه " محمد عبدالله على ابراهيم "
- العقد رقم : ٢٠٢٥/٢٠٢٤/٢٢٢ بتاريخ ٢٠٢٤/٨/٢٧ .
- تاريخ بدا العمل : ٢٠٢٤/٩/١ .
- تاريخ النهو المقرر : ٢٠٢٥/٣/١ .
- قيمه العقد الاصلى : ١١.٣٥٩.٥٢٧ (فقط احدى عشر مليون وثلاثمائة وتسعه وخمسون الف وخمسمائة وسبعه وعشرون جنيها لا غير) .

مبررات المتطه بتعديل مقاييسه الاعمال:

- ورد اليها خطاب استشارى القطاع الثانى (مرفق) بخصوص المشروع عاليه موضح به اسباب تعديل الكميات المدرجه بالمقاييسه المعدله رقم (١) بنفس قيمه امر الاسناد وذلك تم تعديل اسعار البنود بسبب زياده اسعار البنود المنفذه طبقا للمفاوضه على اسعار البنود الموجوده بالمقاييسه الاصليه (ردم بآثر به صالحه) وبناء عليه تم تعديل الكميات المدرجه بالمقاييسه المعدله .

الراى

ترى المنطقه موافقه على تعديل المقاييسه طبقا لما ورد من استشارى المشروع .

برجاء التكرم بالعلم والإحاطه .

والأمر مفوض لسيادتكم .

وتفضلوا بقبول فائق الاحترام ..

٢٠٢٤/٩/٢٧

مكتب
خطاب الاستشارى

رئيس الإدارة المركزية

المنطقة السادسة (بني سويف)



مهندس /

مهندس

مهندس

أصل إنشاء الجسر القريب للقطار الكهربائي السريع (أكتوبر / أوسمبل)

القطاع الثاني (بين مزر / منقوش) من محطة ١٧٦٧٠٠ حتى محطة ٣٣٤٨٠٠ بطول ١٥٨ كم

شركة / شركة الشرق للمقاولات العمومية (محمد عبدالله علي ابراهيم) من المحطة ٣٢٢٠٨٥٠ الى ٣٢٢٢٠٥٠ بطول ١٠٥ كم

رقم بند	بيان الأصل	الوحدة	متر مكعب	النسبة	الأجمالي
١	إصلاح التربة والتطهير				
١-١	بالمتر المسطح أعمال تطهير الموقع من الأشجار والمزروعات والمخلفات والتي يستلزم لها استخدام التفلين ذات الطبيعة الزراعية الكثيفة بعمق حتى ٢٠ سم و التخلص منها بالمقالب العمومية تمهيداً لأعمال الرق المساحي لكامل حدود المشروع طبقاً للشروط والمواصفات وتعليمات المهندس المشرف مسافة النقل حتى ٥٠٠ متر ويتم احتساب علاوة ٠.٢ جنيه لكل ١ كم زيادة				
	الكمية المنقولة خلال شهر يوليو ٢٠٢٣	٢م	٧,٨٠	١	٧,٨٠
٢-١	بالمتر المسطح أعمال إصلاح تطهير الموقع من الأشجار والمزروعات والمخلفات والتي يستلزم لها استخدام التفلين باستخدام (اللوداو البلدوز) في مناطق ذات الطبيعة الزراعية الكثيفة والبند يشمل التطهير وإزالة الجذور بعمق لا يقل عن ٣٠ سم و التخلص منها بالمقالب العمومية وذلك لمسافة ٥٠٠ متر - تمهيداً لأعمال الرق المساحي لكامل حدود المشروع طبقاً للشروط والمواصفات وتعليمات المهندس المشرف - علاوة ٠.٢ جنيه لكل ١ كم زيادة				
	الكمية المنقولة ابتداء من ٢٠٢٤/٣/٢٢	٢م	١٥,٣٠	١	١٥,٣٠
٣	أعمال الحفر				
١-٢	بالمتر المكعب أعمال حفر باستخدام المعدات الميكانيكية لجميع أنواع التربة عدا التربة الصخرية وتسوية السطح بالأت التسوية والرش بالمياه الأصولية للوصول إلى نسبة الرطوبة المطلوبة والدمك الجيد بالهراسات للوصول إلى أقصى كثافة (٩٥%) من الكثافة الجافة (القصوى) ومحمل على البند تحميل ونقل التربة الزائدة لمسافة ٥٠٠ متر من محور الطريق ويتم التنفيذ طبقاً للمناسيب التصميمية والقطاعات العرضية والنموذجية والرسومات التفصيلية المعتمدة والبند بجميع مشتعلات طبقاً لأصول الصناعة ومواصفات الهيئة العامة للطرق والكبارى وتعليمات المهندس المشرف - علاوة ١ جنيه/كم لمسافة نقل ناتج الحفر وتصحيح ١,١ جنيه /كم ابتداء من ٢٠٢٣/٥/٤				
	الكمية المنقولة ابتداء من ٢٠٢٤/٣/٢٢	٣م	٢٩,٣٢	١٠٠٠	١١٧,٢٨
٢-٢	بالمتر المكعب أعمال حفر باستخدام المعدات الميكانيكية في التربة المتماصة عدا التربة الصخرية (باستخدام البلدوز) وتسوية السطح بالأت التسوية والرش بالمياه الأصولية للوصول إلى نسبة الرطوبة المطلوبة والدمك الجيد بالهراسات للوصول إلى أقصى كثافة جافة (٩٥%) من الكثافة الجافة (القصوى) ومحمل على البند تحميل ونقل التربة الزائدة لمسافة ٥٠٠ متر من محور الطريق ويتم التنفيذ طبقاً للمناسيب التصميمية والقطاعات العرضية والنموذجية والرسومات التفصيلية المعتمدة والبند بجميع مشتعلات طبقاً لأصول الصناعة ومواصفات الهيئة العامة للطرق والكبارى وتعليمات المهندس المشرف - علاوة ١ جنيه/كم لمسافة نقل ناتج الحفر وتصحيح ١,١ جنيه /كم ابتداء من ٢٠٢٣/٥/٤				
	الكمية المنقولة خلال يوليو ٢٠٢٣	٣م	٣١,٠٠	١	٣١,٠٠
	الكمية المنقولة خلال أغسطس ٢٠٢٣	٣م	٣٢,٨٠	١	٣٢,٨٠
٣-٢	بالمتر المكعب أعمال حفر باستخدام المعدات الميكانيكية في التربة شديدة التماسك (تربة متحجرة أو عدا التربة الصخرية (باستخدام البلدوز) وتسوية السطح بالأت التسوية والرش بالمياه الأصولية للوصول إلى نسبة الرطوبة المطلوبة والدمك الجيد بالهراسات للوصول إلى أقصى كثافة جافة (٩٥%) من الكثافة الجافة (القصوى) ومحمل على البند تحميل ونقل التربة الزائدة لمسافة ٥٠٠ متر من محور الطريق ويتم التنفيذ طبقاً للمناسيب التصميمية والقطاعات العرضية والنموذجية والرسومات التفصيلية المعتمدة والبند بجميع مشتعلات طبقاً لأصول الصناعة ومواصفات الهيئة العامة للطرق والكبارى وتعليمات المهندس المشرف - يتم تحديد نوع التربة طبقاً لمعدلات التفلين باستخدام البلدوز والتي تحدد بمعرفة المنطقة المشرفة والاستشارة - علاوة ١ جنيه/كم لمسافة نقل ناتج الحفر وتصحيح ١,١ جنيه /كم ابتداء من ٢٠٢٣/٥/٤				
	الكمية المنقولة ابتداء من ٢٠٢٤/٣/٢٢	٣م	٣٨,٣٠	١٠٠٠	٣٨,٣٠
٤-٢	بالمتر المكعب أعمال حفر بالمعدات الميكانيكية في تربة صخرية ومحمل على البند الات ١- تحميل ونقل ناتج الحفر لمسافة لا تقل عن ٥٠٠ متر ٢- إزاحة الميول الجانبة باستخدام المعدات الميكانيكية ٣- توريد تربة مطابقة للمواصفات وتشغيلها باستخدام الات التسوية بسلك لا يزيد عن ٢٥ سم لاستكمال المنسوب التصميمي للتشكيل الجسر والإكتاف (نسبة تحمل كاليفورنيا حتى ١٠%) ورشها بالمياه الأصولية للوصول إلى نسبة الرطوبة المطلوبة والدمك الجيد بالهراسات للوصول إلى أقصى كثافة جافة (٩٥%) من الكثافة الجافة (القصوى). ويتم التنفيذ طبقاً للمناسيب التصميمية والقطاعات العرضية والنموذجية والرسومات التفصيلية المعتمدة والبند بجميع مشتعلات طبقاً لأصول الصناعة ومواصفات الهيئة العامة للطرق والكبارى وتعليمات المهندس المشرف - علاوة ١ جنيه/كم لمسافة نقل ناتج الحفر وتصحيح ١,١ جنيه /كم ابتداء من ٢٠٢٣/٥/٤				
١-٤-٢	ذات إجهاد (٢٠٠-١٠٠) كجم/سم ^٣ الكمية المنقولة ابتداء من ٢٠٢٤/٣/٢٢	٣م	٨٠,٢٠	٢	١٦٠,٤٠
٢-٤-٢	ذات إجهاد (٣٠٠-٢٠٠) كجم/سم ^٣ الكمية المنقولة ابتداء من ٢٠٢٤/٣/٢٢	٣م	٩٧,٥٠	١	٩٧,٥٠
٣-٤-٢	ذات إجهاد (٤٠٠-٣٠٠) كجم/سم ^٣ الكمية المنقولة ابتداء من ٢٠٢٤/٣/٢٢	٣م	١١٢,٧٠	١	١١٢,٧٠



مشروع القطار السريع
التمهيد / من قبل القطار من تمهيد

شركة الشرق للمقاولات العامة
بمكتب محمد عبدالله جريش
٢٢٥ / ٤٠٨ / ٤١٤ ب ف ٣٥٠٧

م/ احمد
عرب
مشروع انتصار
التوقيع

UNIVERSAL INSPECTION REQUEST



مكتب أ.د/حسن مهدي
للإستشارات الهندسية



SHAKER K.C. & Associates

BULE Line

RECEIPT of NOTIFICATION - Minimum Notice Period not less than 24 Hours

The Work described below will be complete and ready for inspection at planned time shown

Location Name		Contractor Company		Designer Company						
320+850 الى 322+350 كم الثاني من الى الكم		شركة الشروق للمقاولات العموميه		DR .Hassan Mahdy (H.M.C)						
Issued by Contractor	Name	Sign	Date	Time						
			2024-05-06							
Contractor UIR Reference		EET-SYS-H.M.C-IR-4			Revision (1)					
Received by ER		UIR	C1 KP	C2 EW	C3 OT	DD 6	MM 05	YY 2024	HH	MM
CODE-1		CODE-1		CODE-1		CODE-2		CODE-3		

EXPLANATION OF WORK TO BE INSPECTED

Area	Element	Item
FROM 322+060 TO 322+180	Fill	Embankment (3.5-)
Inspection Description :		
Inspect base layer materials from st (322+060) to st (322+180) fill layer (-3.5)		

INSPECTION DETAILS The Following will be ready at the Planned Inspection Time

Planned Inspection Date	Planned Inspection Time
2024-05-06	

COMPLIANCE EVIDENCE Must be Included as appropriate

Checklist Attached ☐	Test Results Attached ☐	Calibration Attached ☐	Other as indicated ☐
Drawing Reference	ITP Reference	MS Reference	

Comments by XYZ:

Comments by (H.M.C):

Comments by (SYSTRA - EGIS):

تم التأكد من وجود المواد المستخدمة في العمل مكتب أ.د/حسن مهدي للإستشارات الهندسية	تم التأكد من وجود المواد المستخدمة في العمل مكتب أ.د/حسن مهدي للإستشارات الهندسية	Follow design specs and the approved typical cross section Quantities Calculation must Follow the approved measurement method.
---	---	---

Approval Status

Please Tick if Not Attend

Organisation	Name	Sign	Date	Time	A-AWC-R	
XYZ	عبدالله		7/5/2024	4:00	(A)	
H.M.C	عمر		6-5-24	3:00	(A)	تم التأكد من وجود المواد المستخدمة في العمل
GARB*						
Employers Representative	Alfawzy					

* Alignment: Bridges: Culvert Only

A= Approved; AWC= Approved with comments; R= Rejected



UNIVERSAL INSPECTION REQUEST	 مكتب أ.د/حسن مهدي للإستشارات الهندسية	 وزارة النقل	 SYSTRA-EGIS


BULE Line									
RECEIPT of NOTIFICATION - Minimum Notice Period not less than 24 Hours									
The Work described below will be complete and ready for inspection at planned time shown									
Location Name		Contractor Company		Designer Company					
320+850 الى كم 322+350 الثاني من كم		شركة الشروق للمقاولات العمومية		DR .Hassan Mahdy (H.M.C)					
Issued by Contractor	Name	Sign	Date	Time					
	السيد محمد	السيد محمد	2024-05-12						
Contractor UIR Reference	EET-SYS-H.M.C-IR-5			Revision { 1 }					
Received by ER	UIR		C1 KP	C2 EW	C3 OT	DD 12	MM 05	YY 2024	HH MM
CODE-1	CODE-1	CODE-1	CODE-2	CODE-3					

EXPLANATION OF WORK TO BE INSPECTED		
Area	Element	Item
FROM 321+960 TO 322+040	Fill	Embankment (3-)
Inspection Description : Inspect base layer materials from st (321+960) to st (322+040) fill layer (-.3)		

INSPECTION DETAILS The Following will be ready at the Planned Inspection Time	
Planned Inspection Date	Planned Inspection Time
2024-05-12	

COMPLIANCE EVIDENCE Must be Included as appropriate			
Checklist Attached ☐	Test Results Attached ☐	Calibration Attached ☐	Other as indicated ☐
Drawing Reference	ITP Reference	MS Reference	

Comments by XYZ	Comments by (H.M.C):	Comments by (SYSTRA - EGIS):
		- Follow design specs and the approved typical cross section, quantities calculation must follow the approved measurement method.

Approval Status						Please Tick if Not Attend
* Organisation	Name	Sign	Date	Time	A-AWC-R	
XYZ	C. Essent		13/5/2024	4:00	A	
H.M.C			2-5-2024	2:40	(A)	
GARB*						
Employers Representative	M. Farzy				AWC	

UNIVERSAL INSPECTION REQUEST



BULE Line

RECEIPT of NOTIFICATION - Minimum Notice Period not less than 24 Hours

The Work described below will be complete and ready for inspection at planned time shown

Location Name		Contractor Company		Designer Company	
320+850 الى الكم 322+350 من كم		شركة الشروق للمقاولات العمومية		DR .Hassan Mahdy (H.M.C)	
Issued by Contractor	Name	Sign	Date	Time	
	اسم المهندس	اسم المهندس	2024-05-18		
Contractor UIR Reference	EET-SYS-H.M.C-IR-7				Revision (1)
Received by ER		UIR	C1 KP	C2 EW	C3 OT
			DD 18	MM 05	YY 2024
			HH 18	MM 05	YY 2024
CODE-1		CODE-1		CODE-2	
CODE-1		CODE-1		CODE-3	

EXPLANATION OF WORK TO BE INSPECTED

Area	Element	Item
FROM 322+060 TO 322+180	Fill	Embankment (3-)
Inspection Description :		
Inspect base layer materials from st (322+060) to st (322+180) fill layer (-.3)		

INSPECTION DETAILS The Following will be ready at the Planned Inspection Time

Planned Inspection Date	Planned Inspection Time
2024-05-18	


COMPLIANCE EVIDENCE Must be Included as appropriate

Checklist Attached ☐	Test Results Attached ☐	Calibration Attached ☐	Other as indicated ☐
Drawing Reference	ITP Reference	MS Reference	

Comments by XYZ:

Comments by (H.M.C):

Comments by (SYSTRA - EGIS):



تم استلام الفحص المزمع في 18/05/2024
في الساعة 10:00 صباحاً

Follow design specs and the approved typical cross section quantities calculation must follow the approved measurement method

Approval Status

Please Tick if Not Attend

Organisation	Name	Sign	Date	Time	A-AWC-R
XYZ	اسم المهندس	اسم المهندس	19/5/2024	1:30	(A)
H.M.C	اسم المهندس	اسم المهندس	18/5/2024	2:30	(A)
GARB*					
Employers Representative	اسم المهندس	اسم المهندس			

* Alignment: Bridges: Culvert Only

A= Approved; AWC= Approved with comments; R= Rejected

UNIVERSAL INSPECTION REQUEST



مكتب أ.د. حسن مهدي
للإستشارات الهندسية



SHAKER E.C.C.

BULE Line

RECEIPT of NOTIFICATION - Minimum Notice Period not less than 24 Hours

The Work described below will be complete and ready for inspection at planned time shown

Location Name		Contractor Company		Designer Company	
320+850 الى الكم 322+350 الثاني من كم		شركة الشروق للمقاولات العمومية		DR .Hassan Mahdy (H.M.C)	
Issued by Contractor	Name	Sign	Date	Time	
	[Signature]		2024-05-22		
Contractor UIR Reference		EET-SYS-H.M.C-IR-R8			Revision (2)
Received by ER		UIR	C1 KP	C2 EW	C3 OT
			DD 22	MM 05	YY 2024
			HH 22	MM 05	YY 2024
CODE-1		CODE-1		CODE-1	
				CODE-2	
				CODE-3	

EXPLANATION OF WORK TO BE INSPECTED

Area	Element	Item
FROM 321+940 TO 322+040	Fill	Embankment (2.5-)
Inspection Description :		
Inspect base layer materials from st (321+940) to st (322+040) fill layer (2.5-)		

INSPECTION DETAILS The Following will be ready at the Planned Inspection Time

Planned Inspection Date	Planned Inspection Time
2024-05-21	

COMPLIANCE EVIDENCE Must be Included as appropriate

Checklist Attached ☐	Test Results Attached ☐	Calibration Attached ☐	Other as indicated ☐
Drawing Reference	ITP Reference	MS Reference	

Comments by XYZ:

Comments by (H.M.C):

Comments by (SYSTRA - EGIS):

[Signature] مكتب أ.د. حسن مهدي للإستشارات الهندسية	[Signature] 22/5/2024	- Follow design specs and the approved typical cross section - Quantities calculation must follow the approved measurement method.
--	-------------------------------------	--

Approval Status

Please Tick if
Not Attend

Organisation	Name	Sign	Date	Time	A-AWC-R
XYZ	[Signature]	[Signature]	22/5/2024	11:30	A
H.M.C	[Signature]	[Signature]	22-5-2024	1:00	(AI)
GARB*					
Employers Representative	[Signature]	[Signature]			

* Alignment: Bridges/ Culvert Only

A= Approved, AWC= Approved with comments; R= Rejected

UNIVERSAL INSPECTION REQUEST



مكتب أ.د/حسن مهدي
للإستشارات الهندسية



BULE Line

RECEIPT of NOTIFICATION - Minimum Notice Period not less than 24 Hours

The Work described below will be complete and ready for inspection at planned time shown

Location Name		Contractor Company		Designer Company	
320+850 الى 322+350		شركة الشروق للمقاولات العمومية		DR .Hassan Mahdy (H.M.C)	
Issued by Contractor	Name	Sign	Date	Time	
			2024-05-22		
Contractor UIR Reference		EET-SYS-H.M.C-IR-9			Revision (1)
Received by ER		UIR	C1 KP	C2 EW	C3 OT
			DD 22	MM 05	YY 2024
			HH	MM	
CODE-1	CODE-1	CODE-1	CODE-2	CODE-3	

EXPLANATION OF WORK TO BE INSPECTED

Area	Element	Item
FROM 322+240 TO 322+260	Fill	Embankment (4.5-)
Inspection Description : Inspect base layer materials from st (322+240) to st (322+260) fill layer (4.5-)		

INSPECTION DETAILS The Following will be ready at the Planned Inspection Time

Planned Inspection Date	Planned Inspection Time
2024-05-22	

COMPLIANCE EVIDENCE Must be Included as appropriate

Checklist Attached ☐	Test Results Attached ☐	Calibration Attached ☐	Other as indicated ☐
Drawing Reference	ITP Reference	MS Reference	

Comments by XYZ:	Comments by (H.M.C):	Comments by (SYSTRA - EGIS):
		Follow design specs and the approved typical cross section. Quantities calculation must follow the approved measurement method.

Approval Status

Organisation	Name	Sign	Date	Time	A-AWC-R	Please Tick if Not Attend
XYZ			22/5/2024	11:00	A	
H.M.C			22/5/2024	11:00	A	
GARB*						
Employers Representative	M. Fawzy				AWC	

* Alignment: Bridges: Culvert Only

A= Approved; AWC= Approved with comments; R= Rejected


UNIVERSAL INSPECTION REQUEST	 مكتب أ.د/حسن مهدي للإستشارات الهندسية	 الهيئة القومية للإنتفاظ وزارة النقل	 SYSTRA @egis SHAKER ITC



BULE Line											
RECEIPT of NOTIFICATION - Minimum Notice Period not less than 24 Hours											
The Work described below will be complete and ready for inspection at planned time shown											
Location Name			Contractor Company			Designer Company					
320+850 الى 322+350 كم			شركة الشروق للمقاولات العمومية			DR .Hassan Mahdy (H.M.C)					
Issued by Contractor	Name		Sign		Date		Time				
					2024-05-29						
Contractor UIR Reference		EET-SYS-H.M.C-IR-10					Revision (1)				
Received by ER		UIR		C1	C2	C3	DD	MM	YY	HH	MM
				KP	EW	OT	29	05	2024		
CODE-1		CODE-1		CODE-1		CODE-2		CODE-3			

EXPLANATION OF WORK TO BE INSPECTED		
Area	Element	Item
FROM 322+040 TO 322+180	Fill	Embankment (2.5-)
Inspection Description :		
Inspect base layer materials from st (322+040) to st (322+180) fill layer (-.2.5)		

INSPECTION DETAILS The Following will be ready at the Planned Inspection Time	
Planned Inspection Date	Planned Inspection Time
2024-05-29	


COMPLIANCE EVIDENCE Must be Included as appropriate			
Checklist Attached ☐	Test Results Attached ☐	Calibration Attached ☐	Other as indicated ☐
Drawing Reference	ITP Reference	MS Reference	

Comments by XYZ:	Comments by (H.M.C):	Comments by (SYSTRA - EGIS):
		Follow design specs and the approved typical cross section, quantities calculation must follow the approved measurement method.

Approval Status							Please Tick if Not Attend
Organisation	Name	Sign	Date	Time	A-AWC-R		
XYZ	م.د. هادي		11/8/2024	11:20	(A)		
H.M.C	أ.د. السيد شاو		29/5/24	1:30	(A)		
GARB*							
Employers Representative	A. Farwzy				AWC		

* Alignment: Bridges: Culvert Only A= Approved; AWC= Approved with comments; R= Rejected

A= Approved; AWC= Approved with comments; R= Rejected



UNIVERSAL INSPECTION REQUEST	 مكتب أ.د/حسن مهدي للإستشارات الهندسية	 الهيئة القومية للإنفاق والبنية التحتية	 وزارة النقل	 SYSTRA EGIS Electric Express Train

BULE Line															
RECEIPT of NOTIFICATION - Minimum Notice Period not less than 24 Hours															
The Work described below will be complete and ready for inspection at planned time shown															
Location Name				Contractor Company				Designer Company							
320+850 الى الكم 322+350				شركة الشروق للمقاولات العموميه				DR .Hassan Mahdy (H.M.C)							
Issued by Contractor	Name		Sign		Date		Time								
	اسعد عبد الله		[Signature]		2024-06-29										
Contractor UIR Reference				Revision (1)											
Received by ER				UIR				C1	C2	C3	DD	MM	YY	HH	MM
								KP	EW	OT	29	06	2024		
CODE-1				CODE-1				CODE-1				CODE-2		CODE-3	

EXPLANATION OF WORK TO BE INSPECTED		
Area	Element	Item
FROM 322+060 TO 322+180	Fill	Embankment (1.75-)
Inspection Description :		
Inspect base layer materials from st (322+060) to st (322+180) fill layer (-.1.75)		

INSPECTION DETAILS The Following will be ready at the Planned Inspection Time	
Planned Inspection Date	Planned Inspection Time
2024-06-29	


COMPLIANCE EVIDENCE Must be Included as appropriate			
Checklist Attached ☐	Test Results Attached ☐	Calibration Attached ☐	Other as indicated ☐
Drawing Reference	ITP Reference	MS Reference	

Comments by XYZ:	Comments by (H.M.C):	Comments by (SYSTRA - EGIS):
		- Follow design specs and the approved typical cross section, - Quantities Calculation must follow the approved measurement method

Approval Status							Please Tick if Not Attend
Organisation	Name	Sign	Date	Time	A-AWC-R		
XYZ	محمد رمضان	[Signature]	2/7/2024	1:30	A		
H.M.C	أحمد السيد حجازي	[Signature]	30/6/24	2:00	(A)		
GARB*							
Employers Representative	A. Farzy	[Signature]			AUC		

* Alignment: Bridges: Culvert Only A= Approved; AWC= Approved with comments; R= Rejected

UNIVERSAL INSPECTION REQUEST



مكتب أ.د/حسن مهدي
للإستشارات الهندسية



الهيئة القومية للإنفاق
Ministry of Transport and Public Works



BULE Line

RECEIPT of NOTIFICATION - Minimum Notice Period not less than 24 Hours

The Work described below will be complete and ready for inspection at planned time shown

Location Name		Contractor Company		Designer Company	
القطاع الثاني من كم 322+350 الى الكم 320+850		شركة الشروق للمقاولات العمومية		DR .Hassan Mahdy (H.M.C)	
Issued by Contractor	Name	Sign	Date	Time	
	أحمد عبد الله	أحمد عبد الله	2024-06-29		
Contractor UIR Reference	EET-SYS-H.M.C-IP-13			Revision (1)	
Received by ER		UIR	C1 KP	C2 EW	C3 OT
			DD 29	MM 06	YY 2024
			HH 29	MM 06	
CODE-1		CODE-1		CODE-1	
CODE-2		CODE-2		CODE-3	

EXPLANATION OF WORK TO BE INSPECTED

Area	Element	Item
FROM 322+180 TO 322+320	Fill	Embankment (4-)
Inspection Description :		
Inspect base layer materials from st (322+180) to st (322+320) fill layer (-.4)		

INSPECTION DETAILS The Following will be ready at the Planned Inspection Time

Planned Inspection Date	Planned Inspection Time
2024-06-29	

COMPLIANCE EVIDENCE Must be Included as appropriate

Checklist Attached ☐	Test Results Attached ☐	Calibration Attached ☐	Other as indicated ☐
Drawing Reference	ITP Reference	MS Reference	

Comments by XYZ:

Comments by (H.M.C):

Comments by (SYSTRA - EGIS):

Follow design specs and the approved typical cross section. Quantities Calculation must follow the approved measurement method.

Approval Status

Please Tick if Not Attend

Organisation	Name	Sign	Date	Time	A-AWC-R
XYZ	أحمد عبد الله	أحمد عبد الله	27/6/24	2:00	A
H.M.C	أحمد السليمان	أحمد السليمان	2024/6/20	1:30	IAI
GARB*					
Employers Representative	M. Fawzy				AWC

* Alignment: Bridges: Culvert Only

A= Approved; AWC= Approved with comments; R= Rejected

UNIVERSAL INSPECTION REQUEST



مكتب أ.د/حسن مهدي
للإستشارات الهندسية

الهيئة القومية للإنفاق
NATIONAL AUTHORITY FOR TUNNALS



BULE Line

RECEIPT of NOTIFICATION - Minimum Notice Period not less than 24 Hours

The Work described below will be complete and ready for inspection at planned time shown

Location Name		Contractor Company		Designer Company																
القطاع الثاني من كم 322+350 الى الكم 320+850		شركة الشروق للمقاولات العمومية		DR .Hassan Mahdy (H.M.C)																
Issued by Contractor	Name	Sign	Date	Time																
	أ.د/حسن مهدي	أ.د/حسن مهدي	2024-08-20																	
Contractor UIR Reference	EET-SYS-H.M.C-IR-23				Revision (1)															
Received by ER			UIR	<table border="1"> <tr> <td>C1</td> <td>C2</td> <td>C3</td> <td>DD</td> <td>MM</td> <td>YY</td> <td>HH</td> <td>MM</td> </tr> <tr> <td>KP</td> <td>EW</td> <td>OT</td> <td>20</td> <td>08</td> <td>2024</td> <td></td> <td></td> </tr> </table>	C1	C2	C3	DD	MM	YY	HH	MM	KP	EW	OT	20	08	2024		
C1	C2	C3	DD	MM	YY	HH	MM													
KP	EW	OT	20	08	2024															
CODE-1		CODE-1		CODE-2																
				CODE-3																

EXPLANATION OF WORK TO BE INSPECTED

Area	Element	Item
FROM 322+180 TO 322+360	Fill	Embankment (-2.5)
Inspection Description :		
Inspect base layer materials from st (322+180) to st (322+360) fill layer (-2.5)		

INSPECTION DETAILS The Following will be ready at the Planned Inspection Time

Planned Inspection Date	Planned Inspection Time
2024-08-20	


COMPLIANCE EVIDENCE Must be Included as appropriate

Checklist Attached ☐	Test Results Attached ☐	Calibration Attached ☐	Other as indicated ☐
Drawing Reference	ITP Reference	MS Reference	

Comments by XYZ:

Comments by (H.M.C):

Comments by (SYSTRA - EGIS):



تم عمل التغييرات حسب جودة

- Follow design specs and the approved typical cross section.
- Quantities calculation must follow the approved measurement method

Approval Status

Please Tick if Not Attend

Organisation	Name	Sign	Date	Time	A-AWC-R
XYZ	عمر رمضان	أ.د/حسن مهدي	24/8/2024	2:30	A
H.M.C	أ.د/حسن مهدي	أ.د/حسن مهدي	20/8/24	3:00	(A)
GARB*					
Employers Representative	M-fawzy	أ.د/حسن مهدي			AWC

* Alignment: Bridges: Culvert Only

A= Approved; AWC= Approved with comments; R= Rejected